

SLYN-PCR(T) - DS-LM00

202



2024 1 1 - 2024 12 31

SLYN-PCR(T) - DS- LM 00

- -

ISO 14067: 2018

PAS 2050: 2011

SLYN-PCR(T) - DS- LM 00

1 SLYN-PCR(T) - DS- LM 00

" "

ISO 14067: 2018

PAS 2050: 2011

1%

0.1%

5%

2

3

_*

4

CPCD 2006 I PCC
2019

I PCC 2006 ^a

Y_* /
GHG

GHG

5

GHG

GHG

1%

0.1%

5%

- a)
- b)
- c)
- d)
- e)
- f)
- g)

/

GHG

2- 1

	/

2- 2

2025. 3. 10	
2025. 3. 14	
2025. 3. 15	

"

"

2025 2 14

"

"



209

160000

1# 2# 3# 4#

6.5

,º Gf• Aôó



" 2019

20

" "

" "

"

" "

"

"

" "

20

" "

"

4.0

30

12

4

863

4.0

WCS WWS MES

3C

"

" i Phone4- i phone15

"

"

SLYN-PCR(T) - DS-LM00

2024 01 01 - 2024 12 31

/

1 SLYN-PCR(T) - DS-LM00



3-2

3-2

310p • A —d2 o

R e

			/	
			/	
2			/	
3		/	/	
4		/	/	
5		/	/	

2025 3 14

2024 1 1 ~2024 12 31

CPCD

4- 3

				kg/ m ³				kgCO ₂ /kg km	/
1	Q235A			4200		314	km	5. 70E- 05	CPCD
2	Q235B			245		314	km	5. 70E- 05	CPCD
3				10300		314	km	5. 70E- 05	CPCD
4				15		43	km	5. 70E- 05	CPCD
5	ABS			70		8	km	5. 70E- 05	CPCD
6	PU			50		8	km	5. 70E- 05	CPCD
7				0. 1		39	km	5. 70E- 05	CPCD
8				300		18	km	5. 70E- 05	CPCD
9				80		18	km	5. 70E- 05	CPCD
10				1600		4	km	5. 70E- 05	CPCD
11	45			60		8	km	5. 70E- 05	CPCD


1			

5-3

		kgCO ₂ e	
1	Q235A	75.1716	0.11%
2	Q235B	4.38501	0.01%
3		184.3494	0.27%
4		0.036765	0.0001%
5	ABS	0.03192	0.00005%
6	PU	0.0228	0.00003%
7		0.0002223	0.0000003%
8		0.3078	0.0004%
9		0.08208	0.0001%
10		0.3648	0.0005%
11	45	0.02736	0.00004%

5-4

	kgCO ₂ e	



5-1

5-1	1	SLYN-PCR(T) - DS- LM00	99.56%	0.38%
-----	---	------------------------	--------	-------

			± 2%
± 3%		± 3%	
	± 2%		± 4%
AF-TMKE-US			
	± 2%		
	± 3%		

$\pm 4\%$

0.38%

1

2

3

4

5

6